

Shop Top
Cameras
from

Canon

Nikon

OLYMPUS

PENTAX

SONY

 and more at
amazon.com

Nikon D40X
*in-depth
review*


3. Body & Design

Body & Design



The D40/D40X are the most compact Nikon digital SLRs to date. They are proof that you can build a compact digital SLR without compromising comfort or ergonomics (well at least if your lens mount isn't too large). Built to the high standards we've come to expect from Nikon the D40X uses high grade plastic in its construction (wrapped around a metal frame) and has tight seams with no rattles or creaks.

Side by side

Your eyes do not deceive you, the D40 and D40X, apart from the badge the D40 and D40X are identical, down to the last button, dial and screw. The Nikon design still looks better to me, with cleaner lines and better ergonomics, note the additional width to the grip.



Camera	Dimensions (W x H x D)	Body weight (inc. battery & card)
Olympus E-500	130 x 95 x 66 mm (5.1 x 3.7 x 2.6 in)	479 g (1.1 lb)
Nikon D40 / D40X	126 x 94 x 64 mm (5.0 x 3.7 x 2.5 in)	524 g (1.2 lb)
Canon EOS 350D	127 x 94 x 64 mm (5.0 x 3.7 x 2.5 in)	540 g (1.2 lb)
Canon EOS 400D	127 x 94 x 65 mm (5.0 x 3.7 x 2.5 in)	556 g (1.2 lb)
Sony DSLR-A100	133 x 95 x 71 mm (5.2 x 3.7 x 2.8 in)	638 g (1.4 lb)
Pentax K100D	129 x 93 x 70 mm (5.0 x 3.7 x 2.8 in)	660 g (1.5 lb)
Nikon D80	132 x 103 x 77 mm (5.2 x 4.1 x 3.0 in)	668 g (1.5 lb)
Nikon D70 / D70s	140 x 111 x 78 mm (5.5 x 4.4 x 3.1 in)	679 g (1.5 lb)

The image below shows the two contenders in the ten megapixel DSLR slugfest which is now official on, the Canon EOS 400D (Digital Rebel XTi) and Nikon D40X with their respective 18-55 mm kit lenses.



In your hand

I may be getting a bit repetitive but with the D40/D40X design Nikon have proved that it is possible to make a compact digital SLR with a comfortable grip. Nikon may have a slight real estate advantage over Canon because of their smaller lens mount but whatever the case it's clear that they weren't going to compromise comfort, the D40X's grip is smaller than that found on the D50 but is considerably better than that found on the EOS 400D (Digital Rebel XTi). A plastic body is par for the course at this price

point but there's a range of different plastics and that used by Nikon feels more robust and higher quality.



LCD Monitor



The D40X's 2.5" LCD monitor dominates the rear of the camera, filling the space between the viewfinder and bottom and a considerable amount of horizontal real estate. That said Nikon still managed to stick with the oversized buttons down the left side. As per the D40, the D40X does away with the separate 'control panel' LCD display, instead the LCD monitor performs this function during shooting.

Camera information display

Press the 'info' button on the top of the camera and you will by default see an information screen similar to the one on the left below. This provides an overview of camera settings as well as a graphic representation of shutter speed (the line surrounding the aperture) and aperture. Press the 'set' (magnify) button and you can navigate around this screen to change settings such as image quality, white balance, ISO, drive mode etc. You can alternatively choose the 'classic' info display format which does away with the graphical representation of shutter speed and aperture and instead looks more like a standard control panel.




Graphic display format



Classic display format

The diagram below shows a breakdown of all the potential information displayed in the 'Graphic' display mode.



- | | |
|--|--|
| 1 Focus area display | 14 AF-area mode |
| 2 Shutter speed | 15 Focus mode |
| 3 Electronic meter / compensation | 16 Shooting mode |
| 4 Aperture | 17 ISO sensitivity |
| 5 Mode | 18 White balance mode |
| 6 Shutter-speed display (graphic) | 19 Image size |
| 7 Aperture display (graphic) | 20 Image quality |
| 8 Flash compensation value | 21 Battery indicator |
| 9 Flash sync mode | 22 Beep indicator |
| 10 Exposure compensation value | 23 Optimize image preset indicator |
| 11 Help indicator | 24 Auto ISO sensitivity indicator |
| 12 Frames remaining / Preset WB rec / PC | 25 Manual flash control / External flash comp. |
| 13 Metering mode | |

Diagram reproduced with permission from the Nikon D40X user manual.

Bookmark: [Digg](#) [del.icio.us](#) [Reddit](#) [Google](#)

Actions: [< Previous](#) [Next >](#) [Print page](#)

Support this site, buy the Nikon D40X from one of our affiliate retailers

Store		Rating	Price
JR.com	J&R Music and Computer World		\$699.88
circuit city	Circuit City		\$765.99
DELL™	Dell Small Business		\$799.00
newegg.com 1 TO 3 DAY SHIPPING	Newegg.com		\$689.99
CRUTCHFIELD CRUTCHFIELD.COM	Crutchfield		\$799.99
	Abes Of Maine		\$686.95

	Amazon.com		\$778.95
	H1Photo.com		\$699.95

 **SHOPPER.com**

Compare and Shop for latest prices!



[Go →](#)

 **Digital Photography Review**

All content, design and layout are Copyright © 1998 - 2007 Digital Photography Review All Rights Reserved. Reproduction in whole or in part in any form or medium without specific written permission is prohibited. Click here for detailed copyright information. www.dpreview.com™ is wholly owned by dpreview.com Ltd.